


# NCS215B

**NOVA**

## 2 x 15" Subwoofer





- ▶ 1.200 W / 2.400 W power handling
- ▶ Dual 15" high power subwoofer (4" voice coils)
- ▶ Very low power compression
- ▶ Integrated voice coil cooling system
- ▶ TML cabinet design
- ▶ Deep and clear bass reproduction



The NCS 215 B is a high performance screen channel subwoofer system. The subwoofer is powered with two 600 watts 15" speakers, which is mounted in a perfect tuned TML design to ensure clear and deep bass reproduction. The system can be driven in active mode. The recommended crossover frequency is between 80 and 120 Hz. The cabinet is constructed by 16mm wood, covered with black textured finish and equipped with several M6 and M8 screws which ensures the safe and stable connection to the optional accessories. Four open end sockets are mounted on the top of the cabinet for signal input and signal link output. The power rating of the NCS 215 B is 1.200W at 4 Ohms.

Article number:	# 00615
System Type:	2 x 15" configuration
Frequency Range:	38 Hz - 1.2 kHz
Coverage Pattern:	n/a
Crossover Modes:	Passive
Crossover Frequency:	80 - 120 Hz (recommended)
Power Rating (Continuous / Program / Peak):	Passive: 1.200 W / 2.400 W / 4.800 W Active LF: n/a Active HF: n/a
System Sensitivity (1w/1m):	103 dB SPL
LF Driver:	2 x NOVA 15/600C
LF Nominal Impedance:	4 ohms
HF Driver:	n/a
HF Nominal Impedance:	n/a
Active Tunings:	80 - 120 Hz (recommended)
Enclosure:	NOVA ProWo© MDF, 16 mm
Suspension / Mounting:	n/a
Finish:	Black texture finish
Grille:	n/a
Dimensions (W x H x D):	680 mm x 1.000 mm x 450 mm
Net Weight:	53 kg
Optional Accessories:	# 00507: NCS-S stacking adapter

IEC filtered noise with 6 dB crest factor. / Calculated based on power rating and sensitivity.  
CRAAFT AUDIO GmbH continually engages in research related to product improvement. Materials, design and sound tuning are introduced on existing products. Any current product of CRAAFT AUDIO GmbH may differ in some respect from its published description. CRAAFT AUDIO GmbH will always equal or exceed to original design unless otherwise noted. Limited liability on contents. Subjects to change without prior notice.



All measurements have been generated with FOUR AUDIO - WINMF / ROBO3 frontend.  
All measurements under free field conditions.

